


Amendments to the Claims

1. (Currently Amended) A compound having formula (I) comprising:



(I)

C 20 wherein R_A is hydrogen, ~~an~~ a non-aromatic aliphatic, a heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety; R_B is ~~an~~ a non-aromatic aliphatic, ~~heteroaliphatic~~ a heterocycle, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety; R_C and R_D ~~are each independently~~ is hydrogen, halogen, ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, or $-Z R_E$, wherein Z is $-O-$, $-S-$, or NR_F , wherein R_E is hydrogen, or ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, and R_F is ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, wherein in each of the foregoing groups each aliphatic, heteroaliphatic, alkylaryl, or alkylheteroaryl moiety may be branched or unbranched, cyclic or acyclic and substituted or unsubstituted, and each aryl and heteroaryl moiety may be substituted or unsubstituted; and R_D is hydrogen;


whereby at least one of R_A , R_B , R_C or R_D as defined above, is substituted by one or more phosphorus moieties,

Describe with the proviso that R_D ~~is not terminal functionality representing a cyano group, an amino group, an aminoalkyl group, an amidino, guanidino or guanidinoalkyl group, whereby said terminal functionality is attached to the purine scaffold through an alkylene or phenylene moiety,~~ and

with the proviso that R_A is not an aliphatic or heteroaliphatic moiety substituted with one or two phosphorus containing moiety moieties.

2. (Currently Amended) The compound of claim 1, wherein the one or more phosphorus moieties are each independently a group having the structure $-P(X)YR_GYR_H$, wherein X is independently ~~an alkyl moiety~~ ^{absent}, $=O$ or $=S$; R_G and R_H , for each occurrence, are independently hydrogen, or a substituted or unsubstituted non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl, and each occurrence of Y is independently a covalent bond, $-O-$, $-S-$ or $N(R_J)_2-NR_J-$, wherein R_J , ~~for each occurrence~~, is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl;

or wherein the one or more phosphorus moieties are each independently a group having any one of structures i-viii:




wherein each occurrence of M is independently CV, CV_2 , $-NV-$, N, $-O-$ or $-S-$, wherein in structures i, ii, iii, vii, and viii M is not CV or N and in structure iv, v, and vi one M is CV or N, wherein each occurrence of V is independently hydrogen, OH, halogen, or a non-aromatic aliphatic; each occurrence of Y is independently a covalent bond, $-O-$, $-S-$ or $N(R_J)_2-NR_J-$, wherein R_J , ~~for each occurrence~~, is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl; each occurrence of x is independently an integer from 1-6; and each occurrence of R_1 is independently hydrogen, a non-aromatic aliphatic, a non-

aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, alkylheteroaryl, a prodrug or pharmaceutically acceptable derivative.

- C 20
3. (Currently Amended) The compound of claim 2, wherein any one of R_A , R_B , or R_C ~~or~~ R_D are each independently substituted with one or more phosphorus moieties having the structure: $-P(X)YR_GYR_H$, wherein X is independently ~~an alkyl moiety~~ absent, $=O$ or $=S$, R_G and R_H , for each occurrence, are independently hydrogen, or substituted or unsubstituted non-aromatic aliphatic, non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl, and each occurrence of Y is independently a covalent bond, $-O-$, $-S-$ or $N(R_I)_2$ ~~$-NR_I-$~~ , wherein R_I , ~~for each occurrence,~~ is ~~independently~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl; or is substituted with group having any one of structures i-vii as defined above.
 4. (Original) The compound of claim 2, wherein at least one occurrence of Y is O.
 5. (Original) The compound of claim 2, wherein each occurrence of Y is O.
 6. (Original) The compound of claim 2, wherein at least one of Y is a covalent bond.
 7. (Currently Amended) The compound of claim 1 or 2, wherein any one of R_A , R_B , or R_C ~~or~~ R_D , as defined above, is additionally substituted with 0-3 substituents selected from the group consisting of halogen, lower alkyl, lower alkenyl, aryl, heteroaryl, carbonyl, thiocarbonyl, $-C(O)$ -alkyl, $-C(O)$ -aryl, $-C(O)$ -heteroaryl ~~ketone~~, $-C(O)H$ ~~aldehyde~~, amino, $-CONH_2$, $-CONH$ -alkyl, $-CONH$ -aryl, $-CONH$ -heteroaryl, $-NHC(O)$ -alkyl, $-NHC(O)$ -aryl, $-NHC(O)$ -heteroaryl ~~acylamino~~, ~~amide~~, amidino, cyano, nitro, azido, $-SO_2$ -alkyl, $-SO_2$ -aryl ~~sulfonyl~~, sulfoxido, sulfate, sulfonate, sulfamoyl, sulfonamido, phosphoryl, phosphorothioate, phosphonate, phosphinate, $-(CH_2)_p$ alkyl, $-(CH_2)_p$ alkenyl, $-(CH_2)_p$ alkynyl, $-(CH_2)_p$ aryl, $-(CH_2)_p$ aralkyl, $-(CH_2)_pOH$, $-(CH_2)_pO$ -lower alkyl, $-(CH_2)_pO$ -lower alkenyl, $-O(CH_2)_nR$, $-(CH_2)_pSH$, $-(CH_2)_pS$ -lower alkyl, $-(CH_2)_pS$ -lower alkenyl, $-S(CH_2)_nR$, $-(CH_2)_pN(R)_2$, $-(CH_2)_pNR$ -lower alkyl, $-(CH_2)_pNR$ -lower alkenyl, -

$\text{NR}(\text{CH}_2)_n\text{R}$, and protected forms of the above, wherein R represents, independently for each occurrence, hydrogen, or substituted or unsubstituted aryl, heterocycle, heteroaryl, alkylaryl, alkenyl, or alkyl, and wherein each occurrence of p independently represents an integer from 0-10.

8. (Currently Amended) The compound of claim 1, wherein any one of R_A , R_B , or R_C ~~or~~ R_D is independently a moiety having the structure ix-xvi:




wherein each occurrence of M is independently CV_2 , $-\text{NV}-$, $-\text{O}-$ or $-\text{S}-$, wherein each occurrence of V is independently hydrogen, OH, halogen, or a non-aromatic aliphatic; each occurrence of Y is independently a covalent bond, $-\text{O}-$, $-\text{S}-$ or $\text{N}(\text{R}_j)_2$ ~~$-\text{NR}_j-$~~ , wherein R_j , ~~for each occurrence,~~ is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl;

each occurrence of x is independently 1-6; wherein L is CW, wherein W is hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, or hydroxyl; and each occurrence of R₁ is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, alkylheteroaryl, a prodrug or pharmaceutically acceptable derivative;

wherein each occurrence of R₂ independently represents from 0-3 substituents independently selected from the group consisting of halogen, lower alkyl, lower alkenyl, aryl, heteroaryl, ~~carbonyl, thiocarbonyl,~~ -C(O)-alkyl, -C(O)-aryl, -C(O)-heteroaryl ~~ketone, -C(O)H aldehyde,~~ amino, -CONH₂, -CONH-alkyl, -CONH-aryl, -CONH-heteroaryl, -NHC(O)-alkyl, -NHC(O)-aryl, -NHC(O)-heteroaryl ~~acylamino,~~ amide, amidino, cyano, nitro, azido, -SO₂-alkyl, -SO₂-aryl ~~sulfonyl,~~ sulfoxido, sulfate, sulfonate, sulfamoyl, sulfonamido, phosphoryl, phosphorothioate, phosphonate, phosphinate, -(CH₂)_palkyl, -(CH₂)_palkenyl, -(CH₂)_palkynyl, -(CH₂)_paryl, -(CH₂)_paralkyl, -(CH₂)_pOH, -(CH₂)_pO-lower alkyl, -(CH₂)_pO-lower alkenyl, -O(CH₂)_nR, -(CH₂)_pSH, - (CH₂)_pS-lower alkyl, -(CH₂)_pS-lower alkenyl, -S(CH₂)_nR, -(CH₂)_pN(R)₂, -(CH₂)_pNR- lower alkyl, -(CH₂)_pNR-lower alkenyl, -NR(CH₂)_nR, and protected forms of the above, wherein R represents, independently for each occurrence, hydrogen, or substituted or unsubstituted aryl, heterocycle, heteroaryl, alkylaryl, alkenyl, or alkyl, and wherein each occurrence of p independently represents an integer from 0-10.


9. (Cancelled)
10. (Original) The compound of claim 1, 2, or 8, wherein R_C is -NHR_E.
11. (Cancelled)
12. (Cancelled)
13. (Original) The compound of claim 1, 2, or 8, wherein R_C is not hydrogen.
14. (Original) The compound of claim 1, 2, or 8, wherein R_C is not -NHR_E.

15. (Currently Amended) The compound of claim 1, 2, or 8, wherein R_C is not $-NHR_E$ and R_D is not hydrogen.
16. (Currently Amended) The compound of claim 1, 2, or 8, wherein any one of R_B , or R_C , or R_D as defined above is substituted by one or more phosphorus moieties.
17. (Currently Amended) The compound of claim 1, 2, or 8, wherein any one of R_A , R_B , or R_C or R_D is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety substituted by one or more phosphorus moieties.
18. (Currently Amended) The compound of claim 1, 2, or 8, wherein when R_A is an aliphatic or heteroaliphatic moiety substituted by one or or more phosphorus moieties, R_B is a substituted or unsubstituted aryl, heteroaryl, alkylaryl or alkylheteroaryl moiety.
19. (Original) The compound of claim 1 or 2, wherein R_B is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety substituted by one or more phosphorus moieties.
20. (Currently Amended) The compound of claim 19, wherein R_B is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety bearing one or more phosphorus moieties of formula i through viii:



C 20
wherein each occurrence of M is independently CV, CV₂, -NV-, N -O- or -S-,
wherein in structures i, ii, iii, vii, and viii M is not CV or N and in structure iv, v, and vi
one M is CV or N, wherein each occurrence of V is independently hydrogen, OH,
halogen, or a non-aromatic aliphatic; each occurrence of Y is independently a covalent
bond, -O-, -S- or N(R_J)₂ -NR_J-, wherein R_J, ~~for each occurrence,~~ is ~~independently~~
hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl,
alkylaryl, or alkylheteroaryl; each occurrence of x is independently 1 or 2; and each
occurrence of R₁ is independently hydrogen, a non-aromatic aliphatic, a non-aromatic
heteroaliphatic, aryl, heteroaryl, alkylaryl, alkylheteroaryl, a prodrug or pharmaceutically
acceptable derivative.

21. (Currently Amended) The compound of claim 19, wherein R_B is any one of structures ix-xvi:



wherein each occurrence of M is independently CV_2 , -NV-, -O- or -S-, wherein each occurrence of V is independently hydrogen, OH, halogen, or a non-aromatic aliphatic; each occurrence of Y is independently a covalent bond, -O-, -S- or $N(R_J)_2$ - NR_J -, wherein R_J , ~~for each occurrence,~~ is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl; each occurrence of x is independently 0-6, and in certain embodiments is 1-2; wherein L is CW, wherein W is hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, or hydroxyl; and each occurrence of R_1 is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, alkylheteroaryl, a prodrug or pharmaceutically acceptable derivative; and

wherein each occurrence of R_2 independently represents from 0-3 substituents independently selected from the group consisting of halogen, lower alkyl, lower alkenyl,

aryl, heteroaryl, ~~carbonyl, thiocarbonyl~~, -C(O)-alkyl, -C(O)-aryl, -C(O)-heteroaryl, ketone, -C(O)H ~~aldehyde~~, amino, -CONH₂, -CONH-alkyl, -CONH-aryl, -CONH-heteroaryl, -NHC(O)-alkyl, -NHC(O)-aryl, -NHC(O)-heteroaryl ~~acylamino~~, amide, amidino, cyano, nitro, azido, -SO₂-alkyl, -SO₂-aryl ~~sulfonyl~~, sulfoxido, sulfate, sulfonate, sulfamoyl, sulfonamido, phosphoryl, phosphorothioate, phosphonate, phosphinate, -(CH₂)_palkyl, -(CH₂)_palkenyl, -(CH₂)_palkynyl, -(CH₂)_paryl, -(CH₂)_paralkyl, -(CH₂)_pOH, -(CH₂)_pO-lower alkyl, -(CH₂)_pO-lower alkenyl, -O(CH₂)_nR, -(CH₂)_pSH, -(CH₂)_pS-lower alkyl, -(CH₂)_pS-lower alkenyl, -S(CH₂)_nR, -(CH₂)_pN(R)₂, -(CH₂)_pNR-lower alkyl, -(CH₂)_pNR-lower alkenyl, -NR(CH₂)_pR, and protected forms of the above, wherein R represents, independently for each occurrence, hydrogen, or substituted or unsubstituted aryl, heterocycle, heteroaryl, alkylaryl, alkenyl, or alkyl, and wherein each occurrence of p independently represents an integer from 0-10.

22. (Original) The compound of claim 19, wherein at least one occurrence of Y is O.
23. (Original) The compound of claim 19, wherein each occurrence of Y is O.
24. (Original) The compound of claim 19, wherein at least one of Y is a covalent bond.
25. (Currently Amended) The compound of claim 19, wherein R_B is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety bearing one or more phosphorus moieties having the structure -P(O)YR_GYR_H, wherein R_G and R_H, for each occurrence, are independently hydrogen, or substituted or unsubstituted non-aromatic aliphatic, non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl, and each occurrence of Y is independently a covalent bond, -O-, -S- or N(R_J)₂ -NR_J-, wherein R_J, ~~for each occurrence, is independently~~ hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.
26. (Currently Amended) The compound of claim 19, wherein the aryl, heteroaryl, alkylaryl, alkylheteroaryl moiety is further substituted with 0-3 substituents selected from the group consisting of halogen, lower alkyl, lower alkenyl, aryl, heteroaryl, ~~carbonyl, thiocarbonyl~~,

-C(O)-alkyl, -C(O)-aryl, -C(O)-heteroaryl ketone, -C(O)H aldehyde, amino, -CONH₂, -CONH-alkyl, -CONH-aryl, -CONH-heteroaryl, -NHC(O)-alkyl, -NHC(O)-aryl, -NHC(O)-heteroaryl acylamino, amide, amidino, cyano, nitro, azido, -SO₂-alkyl, -SO₂-aryl sulfonyl, sulfoxido, sulfate, sulfonate, sulfamoyl, sulfonamido, phosphoryl, phosphorothioate, phosphonate, phosphinate, -(CH₂)_palkyl, -(CH₂)_palkenyl, -(CH₂)_palkynyl, -(CH₂)_paryl, -(CH₂)_paralkyl, -(CH₂)_pOH, -(CH₂)_pO-lower alkyl, -(CH₂)_pO-lower alkenyl, -O(CH₂)_nR, -(CH₂)_pSH, -(CH₂)_pS-lower alkyl, -(CH₂)_pS-lower alkenyl, -S(CH₂)_nR, -(CH₂)_pN(R)₂, -(CH₂)_pNR-lower alkyl, -(CH₂)_pNR-lower alkenyl, -NR(CH₂)_nR, and protected forms of the above, wherein R represents, independently for each occurrence, hydrogen, or substituted or unsubstituted aryl, heterocycle, heteroaryl, alkylaryl, alkenyl, or alkyl, and wherein each occurrence of p independently represents an integer from 0-10.

- C²⁰
27. (Original) The compound of claim 20, wherein R_B is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety substituted with a phosphorus moiety of formula i or iv.
 28. (Currently Amended) The compound of claim 20 ~~or 25~~, wherein R₁ is hydrogen.
 29. (Cancelled)
 30. (Currently Amended) The compound of claim 20 or 25, wherein R_C is -ZR_E, and Z is -NR_F, wherein R_E is hydrogen or a substituted or unsubstituted non-aromatic aliphatic, non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl, and R_F is hydrogen or a substituted or unsubstituted non-aromatic aliphatic, non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.
 31. (Currently Amended) The compound of claim 30, wherein the aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, and alkylheteroaryl moieties are further substituted by one or more substituents selected from the group consisting of alkyl, aryl, heteroalkyl, heteroaryl, hydroxy, -OC(O)-alkyl, -OC(O)-aryl, -OC(O)-heteroaryl acyloxy, -SH thio, or substituted or unsubstituted amino.


32. (Currently Amended) The compound of claim 20 ~~or 25~~, wherein R_C is $-ZR_E$, and Z is NR_F , wherein R_E is hydrogen and R_F is a branched or unbranched cyclic or acyclic aliphatic moiety substituted with one or more hydroxy, $-OC(O)$ -alkyl, $-OC(O)$ -aryl, or $-OC(O)$ -heteroaryl ~~or acyloxy~~.
33. (Currently Amended) The compound of claim 32, wherein said aliphatic moiety substituted with one or more hydroxy, $-OC(O)$ -alkyl, $-OC(O)$ -aryl, or $-OC(O)$ -heteroaryl is selected from the group consisting of $-(CH)(CHCH_3CH_3)CH_2OH$, $-(CH_2)_nOH$, $(CH_2)_nOAc$ and $-CH(CH_2OH)(CH_2OH)$, wherein n is 1-5.
- C²⁰ 34. (Currently Amended) The compound of claim 20 ~~or 25~~, wherein R_C is $-ZR_E$, and Z is NR_F , wherein R_E is hydrogen, and R_F is a branched or unbranched, cyclic or acyclic aliphatic moiety substituted with one or more substituted or unsubstituted amino groups.
35. (Currently Amended) The compound of claim 34, wherein said one or more substituted or unsubstituted amino groups are each independently selected from the group consisting of NH_2 , NR_KH , and NR_KR_L , ~~$-(CH_2)_nNH_2$, $-(CH_2)_nNR_KH$, and $-(CH_2)_nNR_LR_M$~~ , wherein R_K , and R_L and R_M are each independently a substituted or unsubstituted, branched or unbranched non-aromatic aliphatic, a substituted or unsubstituted, branched or unbranched non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety.
36. (Original) The compound of claim 30, wherein R_C is an amino group substituted with an alkyl moiety.
37. (Original) The compound of claim 36, wherein the alkyl moiety is methyl, ethyl, propyl, butyl, pentyl, hexyl, cyclopentyl, or cyclohexyl.
38. (Original) The compound of claim 30, wherein R_C is an amino group substituted with one or more pyrazolyl groups.

39. (Original) The compound of claim 30, wherein R_C is an amino group substituted with one or more 5- or 6-membered rings substituted with one or two O, N or S atoms, or any combination thereof.
40. (Currently Amended) The compound of claim 20 ~~or 25~~, wherein R_C is $-ZR_E$, and Z is $-O-$; and R_E is a branched or unbranched, cyclic or acyclic, substituted or unsubstituted alkyl or heteroalkyl moiety; or is a substituted or unsubstituted aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety.
- C 20 41. (Original) The compound of claim 40, wherein said alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety is further substituted with one or more groups selected from the group consisting of halogen, branched or unbranched alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.
42. (Original) The compound of claim 40, wherein R_C is a substituted or unsubstituted methoxy, ethoxy, propyloxy, butyloxy, or pentyloxy group.
43. (Original) The compound of claim 40, wherein R_C is an alkoxy moiety further substituted with a substituted or unsubstituted amino, heteroalkyl or heteroaryl moiety, wherein said heteroalkyl moiety or amino moiety is cyclic or acyclic.
44. (Original) The compound of claim 43, wherein R_C is an alkoxy moiety substituted with a pyrazolyl moiety.
45. (Original) The compound of claim 43, wherein R_C is an alkoxy moiety substituted with a pyridyl moiety.
46. (Currently Amended) The compound of claim 20 ~~or 25~~, wherein R_C is $-ZR_E$, and Z is $-S-$; and R_E is a branched or unbranched, cyclic or acyclic, substituted or unsubstituted alkyl

or heteroalkyl moiety; or is a substituted or unsubstituted aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety.

47. (Original) The compound of claim 46, wherein said alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety is further substituted with one or more groups selected from the group consisting of halogen, branched or unbranched alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.
48. (Original) The compound of claim 46, wherein R_C is a substituted or unsubstituted methylthio, ethylthio, propylthio, butylthio, or pentylthio.
- C²⁰ 49. (Original) The compound of claim 46, wherein R_C is an thioalkyl moiety further substituted with an amino, heteroalkyl or heteroaryl moiety.
50. (Original) The compound of claim 49, wherein R_C is an thioalkyl moiety substituted with a pyrazolyl moiety.
51. (Original) The compound of claim 49, wherein R_C is an thioalkyl moiety substituted with a pyridyl moiety.
52. (Currently Amended) The compound of claim 20 ~~or 25~~, wherein R_A is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety optionally substituted with one or more hydroxyl moieties.
53. (Currently Amended) The compound of claim 20 ~~or 25~~, wherein R_A is a substituted or unsubstituted branched or unbranched, cyclic or acyclic aliphatic or heteroaliphatic moiety optionally substituted by one ~~of~~ or more hydroxyl moieties.
54. (Original) The compound of claim 1 or 2, wherein R_B is a cyclic or acyclic aliphatic or heteroaliphatic moiety substituted by at least one phosphorus moiety.

55. (Currently Amended) The compound of claim 54, wherein R_B is a cyclic or acyclic aliphatic or ~~heteroaliphatic~~ heterocycle moiety substituted with one or more phosphorus moieties of formula i through viii:



wherein each occurrence of M is independently CH, CH₂, CV, CHV, COH, CHOH, or CV₂, wherein in structures i, ii, iii, vii, and viii M is not CH, CV or COH and in structure iv, v, and vi one M is CH, CV or COH; each occurrence of Y is independently a covalent bond, -O-, -S- or N(R_J)₂ -NR_J-, wherein R_J , ~~for each occurrence, is independently~~ for each occurrence, is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl; wherein V is a halogen; each occurrence of x is independently 1 or 2; and each occurrence of R_1 is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, alkylheteroaryl, a prodrug or pharmaceutically acceptable derivative.

56. (Original) The compound of claim 55, wherein at least one occurrence of Y is O.
57. (Original) The compound of claim 55, wherein each occurrence of Y is O.
58. (Original) The compound of claim 55, wherein at least one of Y is a covalent bond.

59. (Currently Amended) The compound of claim 19, wherein R_B is a cyclic or acyclic aliphatic or ~~heteroaliphatic~~ heterocyloalkyl moiety substituted with one or more phosphorus moieties having the structure $-P(O)YR_GYR_H$, wherein R_G and R_H , for each occurrence, are independently hydrogen, or substituted or unsubstituted aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl, and each occurrence of Y is independently a covalent bond, -O-, -S- or $N(R_J)_2$ ~~-NR_J-~~, wherein R_J , ~~for each occurrence,~~ is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.

60. (Currently Amended) The compound of claim 55 ~~or 59~~, wherein the cyclic or acyclic aliphatic or ~~heteroaliphatic~~ heterocycle moiety is further substituted with 0-3 substituents selected from the group consisting of halogen, lower alkyl, lower alkenyl, aryl, heteroaryl, carbonyl, thiocarbonyl, -C(O)-alkyl, -C(O)-aryl, -C(O)-heteroaryl ~~ketone~~, -C(O)H ~~aldehyde~~, amino, -CONH₂, -CONH-alkyl, -CONH-aryl, -CONH-heteroaryl, -NHC(O)-alkyl, -NHC(O)-aryl, -NHC(O)-heteroaryl ~~acylamino, amide, amidino, cyano,~~ nitro, azido, -SO₂-alkyl, -SO₂-aryl ~~sulfonyl~~, sulfoxido, sulfate, sulfonate, sulfamoyl, sulfonamido, phosphoryl, phosphorothioate, phosphonate, phosphinate, $-(CH_2)_p$ alkyl, $-(CH_2)_p$ alkenyl, $-(CH_2)_p$ alkynyl, $-(CH_2)_p$ aryl, $-(CH_2)_p$ aralkyl, $-(CH_2)_p$ OH, $-(CH_2)_p$ O-lower alkyl, $-(CH_2)_p$ O-lower alkenyl, $-O(CH_2)_nR$, $-(CH_2)_p$ SH, $-(CH_2)_p$ S-lower alkyl, $-(CH_2)_p$ S-lower alkenyl, $-S(CH_2)_nR$, $-(CH_2)_pN(R)_2$, $-(CH_2)_p$ NR-lower alkyl, $-(CH_2)_p$ NR-lower alkenyl, $-NR(CH_2)_nR$, and protected forms of the above, wherein R represents, independently for each occurrence, hydrogen, or substituted or unsubstituted aryl, heterocycle, heteroaryl, alkylaryl, alkenyl, or alkyl, and wherein each occurrence of p independently represents an integer from 0-10.

61. (Original) The compound of claim 55, wherein R_B is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety substituted with a phosphorus moiety of formula i or iv.

62. (Currently Amended) The compound of claim 55 ~~or 59~~, wherein R_1 is hydrogen.

63. (Cancelled)

64. (Currently Amended) The compound of claim 55 ~~or 59~~, wherein R_C is $-ZR_E$, and Z is $-NR_F$, wherein R_E is hydrogen or a substituted or unsubstituted aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl, and R_F is hydrogen or a substituted or unsubstituted aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.
65. (Currently Amended) The compound of claim 64, wherein the aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, and alkylheteroaryl moieties are further substituted by one or more substituents selected from the group consisting of alkyl, aryl, heteroalkyl, heteroaryl, hydroxy, $-OC(O)$ -alkyl, $-OC(O)$ -aryl, $-OC(O)$ -heteroaryl ~~acyloxy~~, $-SH$ ~~thio~~, or substituted or unsubstituted amino.
- C 20 66. (Currently Amended) The compound of claim 55 ~~or 59~~, wherein R_C is $-ZR_E$, and Z is $-NR_F$, wherein R_E is hydrogen and R_F is a branched or unbranched cyclic or acyclic aliphatic moiety substituted with one or more hydroxy, $-OC(O)$ -alkyl, $-OC(O)$ -aryl, or $-OC(O)$ -heteroaryl or acyloxy moieties.
67. (Currently Amended) The compound of claim 66, wherein said aliphatic moiety substituted with one or more hydroxy, $-OC(O)$ -alkyl, $-OC(O)$ -aryl, or $-OC(O)$ -heteroaryl moieties is selected from the group consisting of $-(CH)(CHCH_3CH_3)CH_2OH$, $-(CH_2)_nOH$, $(CH_2)_nOAc$ and $-CH(CH_2OH)(CH_2OH)$, wherein n is 1-5.
68. (Currently Amended) The compound of claim 55 ~~or 59~~, wherein R_C is $-ZR_E$, and Z is $-NR_F$, wherein R_E is hydrogen, and R_F is a branched or unbranched, cyclic or acyclic aliphatic moiety substituted with one or more substituted or unsubstituted amino groups.
69. (Currently Amended) The compound of claim 68, wherein said one or more substituted or unsubstituted amino groups are each independently selected from the group consisting of NH_2 , NR_KH , and NR_KR_L , ~~$-(CH_2)_nNH_2$, $-(CH_2)_nNR_KH$, and $-(CH_2)_nNR_LR_M$~~ , wherein R_K , and R_L ~~and R_M~~ are each independently a substituted or unsubstituted, branched or

unbranched non-aromatic aliphatic, non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety.

70. (Original) The compound of claim 64, wherein R_C is an amino group substituted with an alkyl moiety.
71. (Original) The compound of claim 70, wherein the alkyl moiety is methyl, ethyl, propyl, butyl, pentyl, hexyl, cyclopentyl, or cyclohexyl.
72. (Original) The compound of claim 64, wherein R_C is an amino group substituted with one or more pyrazolyl groups.
- C²⁰ 73. (Original) The compound of claim 64, wherein R_C is an amino group substituted with one or more 5- or 6-membered rings substituted with one or two O, N or S atoms, or any combination thereof.
74. (Currently Amended) The compound of claim 55 ~~or 59~~, wherein R_C is $-ZR_E$, and Z is $-O-$; and R_E is a branched or unbranched, cyclic or acyclic, substituted or unsubstituted alkyl or heteroalkyl moiety; or is a substituted or unsubstituted aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety.
75. (Original) The compound of claim 74, wherein said alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety is further substituted with one or more groups selected from the group consisting of halogen, branched or unbranched alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.
76. (Original) The compound of claim 74, wherein R_C is a substituted or unsubstituted methoxy, ethoxy, propyloxy, butyloxy, or pentyloxy group.

77. (Original) The compound of claim 74, wherein R_C is an alkoxy moiety further substituted with a substituted or unsubstituted amino, heteroalkyl or heteroaryl moiety, wherein said heteroalkyl moiety or amino moiety is cyclic or acyclic.
78. (Original) The compound of claim 77, wherein R_C is an alkoxy moiety substituted with a pyrazolyl moiety.
79. (Original) The compound of claim 77, wherein R_C is an alkoxy moiety substituted with a pyridyl moiety.
80. (Currently Amended) The compound of claim 55 ~~or 59~~, wherein R_C is $-ZR_E$, and Z is $-S-$; and R_E is a branched or unbranched, cyclic or acyclic, substituted or unsubstituted alkyl or heteroalkyl moiety; or is a substituted or unsubstituted aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety.
81. (Original) The compound of claim 80, wherein said alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety is further substituted with one or more groups selected from the group consisting of halogen, branched or unbranched alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.
82. (Original) The compound of claim 80, wherein R_C is a substituted or unsubstituted methylthio, ethylthio, propylthio, butylthio, or pentylthio.
83. (Original) The compound of claim 80, wherein R_C is a thioalkyl moiety further substituted with an amino, heteroalkyl or heteroaryl moiety.
84. (Original) The compound of claim 80, wherein R_C is a thioalkyl moiety substituted with a pyrazolyl moiety.
85. (Original) The compound of claim 80, wherein R_C is a thioalkyl moiety substituted with a pyridyl moiety.


86. (Currently Amended) The compound of claim 55 ~~or 59~~, wherein R_A is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety optionally substituted with one or more hydroxyl moieties.

87. (Currently Amended) The compound of claim 55 ~~or 59~~, wherein R_A is a substituted or unsubstituted branched or unbranched, cyclic or acyclic aliphatic or heteroaliphatic moiety optionally substituted by one ~~of~~ or more hydroxyl moieties.

88. (Currently Amended) The compound of claim 1 or 2, wherein R_C is aryl, heteroaryl, alkylaryl, alkylheteroaryl or $-ZR_E$, wherein Z is $-O-$, $-S-$, or NR_F , wherein R_E is hydrogen, or an aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety, and R_F is an aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety, ~~whereby~~ wherein at least one of R_E or R_F represents an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety;


~~whereby~~ wherein at least one of said aryl, heteroaryl, alkylaryl, or alkylheteroaryl moieties described above is substituted by at least one phosphorus moiety.

89. (Currently Amended) The compound of claim 88, wherein R_C is a moiety as described above bearing one or more phosphorus moieties of formula i through viii:



wherein each occurrence of M is independently CV, CV_2 , $-NV-$, N $-O-$ or $-S-$, wherein in structures i, ii, iii, vii, and viii M is not CV or N and in structure iv, v, and vi one M is CV or N, wherein each occurrence of V is independently hydrogen, OH, halogen, or a non-aromatic aliphatic; each occurrence of Y is independently a covalent bond, $-O-$, $-S-$ or $N(R_J)_2$ $-NR_J-$, wherein R_J , for each occurrence, is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl; each occurrence of x is independently 1 or 2; and each occurrence of R_1 is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, alkylheteroaryl, a prodrug or pharmaceutically acceptable derivative.

90. (Currently Amended) The compound of claim 88, wherein R_C is any one of structures ix-xvi:



wherein each occurrence of M is independently CV₂, -NV-, -O- or -S-, wherein each occurrence of V is independently hydrogen, OH, halogen, or a non-aromatic aliphatic; each occurrence of Y is independently a covalent bond, -O-, -S- or N(R₃)₂ -NR₃-, wherein R₃, ~~for each occurrence,~~ is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl; each occurrence of x is independently 0-6, and in certain embodiments is 1-2; wherein L is CW, wherein W is hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, or hydroxyl; and each occurrence of R₁ is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, alkylheteroaryl, a prodrug or pharmaceutically acceptable derivative; and

C²⁰ wherein each occurrence of R₂ independently represents from 0-3 substituents independently selected from the group consisting of halogen, lower alkyl, lower alkenyl, aryl, heteroaryl, ~~carbonyl, thiocarbonyl,~~ -C(O)-alkyl, -C(O)-aryl, -C(O)-heteroaryl ~~ketone,~~ -C(O)H ~~aldehyde,~~ amino, -CONH₂, -CONH-alkyl, -CONH-aryl, -CONH-heteroaryl, -NHC(O)-alkyl, -NHC(O)-aryl, -NHC(O)-heteroaryl ~~acylamino,~~ amide, amidino, cyano, nitro, azido, -SO₂-alkyl, -SO₂-aryl ~~sulfonyl,~~ sulfoxido, sulfate, sulfonate, sulfamoyl, sulfonamido, phosphoryl, phosphorothioate, phosphonate, phosphinate, -(CH₂)_palkyl, -(CH₂)_palkenyl, -(CH₂)_palkynyl, -(CH₂)_paryl, -(CH₂)_paralkyl, -(CH₂)_pOH, -(CH₂)_pO-lower alkyl, -(CH₂)_pO-lower alkenyl, -O(CH₂)_pR, -(CH₂)_pSH, -(CH₂)_pS-lower alkyl, -(CH₂)_pS-lower alkenyl, -S(CH₂)_nR, -(CH₂)_pN(R)₂, -(CH₂)_pNR-lower alkyl, -(CH₂)_pNR-lower alkenyl, -NR(CH₂)_pR, and protected forms of the above, wherein R represents, independently for each occurrence, hydrogen, or substituted or unsubstituted aryl, heterocycle, heteroaryl, alkylaryl, alkenyl, or alkyl, and wherein each occurrence of p independently represents an integer from 0-10.


91. (Currently Amended) The compound of claim 89 ~~or claim 90~~, wherein at least one occurrence of Y is O.
92. (Currently Amended) The compound of claim 89 ~~or claim 90~~, wherein each occurrence of Y is O.

93. (Currently Amended) The compound of claim 89 ~~or claim 90~~, wherein at least one of Y is a covalent bond.
94. (Currently Amended) The compound of claim 88, wherein R_C is a moiety as described above bearing one or more phosphorus moieties having the structure $-P(O)YR_GYR_H$, wherein R_G and R_H , for each occurrence, are independently hydrogen, or substituted or unsubstituted non-aromatic aliphatic, non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl, and each occurrence of Y is independently a covalent bond, -O-, -S- or $N(R_J)_2$ $-NR_J-$, wherein R_J , ~~for each occurrence~~, is ~~independently~~ hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.
- C²⁰ 95. (Currently Amended) The compound of claim 89 ~~or 94~~, wherein R_C is $-ZR_E$, wherein Z is -O-, -S-, or NR_F , wherein R_E is hydrogen, or an aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety, and R_F is an aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety, whereby at least one of R_E or R_F represents an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety, whereby at least one of said aryl, heteroaryl, alkylaryl, or alkylheteroaryl moieties is substituted by at least one phosphorus moiety.
96. (Currently Amended) The compound of claim 89 ~~or 94~~, wherein the aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety is further substituted with 0-3 substituents selected from the group consisting of halogen, lower alkyl, lower alkenyl, aryl, heteroaryl, carbonyl, thiocarbonyl, $-C(O)$ -alkyl, $-C(O)$ -aryl, $-C(O)$ -heteroaryl ketone, $-C(O)H$ aldehyde, amino, $-CONH_2$, $-CONH$ -alkyl, $-CONH$ -aryl, $-CONH$ -heteroaryl, $-NHC(O)$ -alkyl, $-NHC(O)$ -aryl, $-NHC(O)$ -heteroaryl acylamino, amide, amidino, cyano, nitro, azido, $-SO_2$ -alkyl, $-SO_2$ -aryl sulfonyl, sulfoxido, sulfate, sulfonate, sulfamoyl, sulfonamido, phosphoryl, phosphorothioate, phosphorothicate, phosphonate, phosphinate, $-(CH_2)_p$ alkyl, $-(CH_2)_p$ alkenyl, $-(CH_2)_p$ alkynyl, $-(CH_2)_p$ aryl, $-(CH_2)_p$ aralkyl, $-(CH_2)_pOH$, $-(CH_2)_pO$ -lower alkyl, $-(CH_2)_pO$ -lower alkenyl, $-O(CH_2)_nR$, $-(CH_2)_pSH$, $-(CH_2)_pS$ -lower alkyl, $-(CH_2)_pS$ -lower alkenyl, $-S(CH_2)_nR$, $-(CH_2)_pN(R)_2$, $-(CH_2)_pNR$ -lower alkyl,

-(CH₂)_pNR-lower alkenyl, -NR(CH₂)_nR, and protected forms of the above, wherein R represents, independently for each occurrence, hydrogen, or substituted or unsubstituted aryl, heterocycle, heteroaryl, alkylaryl, alkenyl, or alkyl, and wherein each occurrence of p independently represents an integer from 0-10.

97. (Original) The compound of claim 89, wherein R_C is substituted with at least one phosphorus moiety of formula i or iv.
98. (Currently Amended) The compound of claim 89 ~~or~~ 94, wherein R_I is hydrogen.
99. (Cancelled)
- C²⁰ 100. (Currently Amended) The compound of claim 89 ~~or~~ 94, wherein R_B is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl optionally substituted with one or more halogen groups.
101. (Original) The compound of claim 100, wherein the halogen is chlorine.
102. (Original) The compound of claim 100, wherein R_B is phenyl.
103. (Currently Amended) The compound of claim 89 ~~or~~ 94, wherein R_A is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety optionally substituted with one or more hydroxyl moieties.
104. (Currently Amended) The compound of claim 89 ~~or~~ 94, wherein R_A is a substituted or unsubstituted branched or unbranched, cyclic or acyclic aliphatic or heteroaliphatic moiety optionally substituted by one ~~of~~ or more hydroxyl moieties.
105. (Currently Amended) The compound of claim 89 ~~or~~ 94, wherein R_A is a branched or unbranched, cyclic or acyclic aliphatic or heteroaliphatic moiety.

106. (Original) The compound of claim 105, wherein R_A is $\text{CH}(\text{CH}_3)_2$, Me, cyclopentyl or cyclohexyl.
107. (Currently Amended) The compound of claim 1 or 2, wherein R_C is cyclic or acyclic aliphatic or heteroaliphatic, or $-\text{Z}R_E$, wherein Z is -O-, -S-, or NR_F , wherein R_E is hydrogen, or an aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety, and R_F is an aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety, ~~whereby~~ wherein at least one of R_E or R_F represents a cyclic or acyclic aliphatic or heteroaliphatic moiety.
108. (Currently Amended) The compound of claim 1, wherein R_C is cyclic or acyclic aliphatic or heteroaliphatic, or $-\text{Z}R_E$, wherein Z is -O-, -S-, or NR_F , wherein R_E is hydrogen, or ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, and R_F is ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, ~~whereby~~ wherein at least one of R_E or R_F represents a cyclic or acyclic aliphatic or heteroaliphatic moiety, and wherein one or more of said cyclic or acyclic aliphatic or heteroaliphatic moieties described above is substituted with one or more phosphorus moieties having the structure:



wherein each occurrence of M is independently CV, CV₂, -NV-, N -O- or -S-,
wherein in structures i, ii, iii, vii, and viii M is not CV or N and in structure iv, v, and vi

one M is CV or N, wherein each occurrence of V is independently hydrogen, OH, halogen, or a non-aromatic aliphatic; each occurrence of Y is independently a covalent bond, -O-, -S- or $N(R_J)_2-NR_J-$, wherein R_J , ~~for each occurrence~~, is ~~independently~~ hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl; each occurrence of x is independently 1 or 2; and each occurrence of R_1 is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, alkylheteroaryl, a prodrug or pharmaceutically acceptable derivative.

109. (Original) The compound of claim 108, wherein at least one occurrence of Y is O.

110. (Original) The compound of claim 108, wherein each occurrence of Y is O.

C²⁰ 111. (Original) The compound of claim 2, wherein at least one of Y is a covalent bond.


112. (Currently Amended) The compound of claim 1, wherein R_C is defined as above, and wherein one or more of said cyclic or acyclic aliphatic or heteroaliphatic moieties described above is substituted with one or more phosphorus moieties having the structure: $-P(O)YR_GYR_H$, wherein R_G and R_H , for each occurrence, are independently hydrogen, or substituted or unsubstituted non-aromatic aliphatic, non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl, and each occurrence of Y is independently a covalent bond, -O-, -S- or $N(R_J)_2-NR_J-$, wherein R_J , ~~for each occurrence~~, is ~~independently~~ hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.

113. (Previously Amended) The compound of claim 108 or 112, wherein R_C is $-ZR_E$, wherein Z is -O-, -S-, or NR_F , wherein R_E is hydrogen, or an aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety, and R_F is an aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety, whereby at least one of R_E or R_F represents a cyclic or acyclic aliphatic or heteroaliphatic moiety, whereby at least one of

said cyclic or acyclic aliphatic or heteroaliphatic moieties is substituted by at least one phosphorus moiety.

- C²⁰
114. (Currently Amended) The compound of claim 108 or 112, wherein the one or more cyclic or acyclic aliphatic or heteroaliphatic moieties are further substituted with 0-3 substituents selected from the group consisting of halogen, lower alkyl, lower alkenyl, aryl, heteroaryl, carbonyl, thiocarbonyl, -C(O)-alkyl, -C(O)-aryl, -C(O)-heteroaryl ketone, -C(O)H aldehyde, amino, -CONH₂, -CONH-alkyl, -CONH-aryl, -CONH-heteroaryl, -NHC(O)-alkyl, -NHC(O)-aryl, -NHC(O)-heteroaryl acylamino, amide, amidino, cyano, nitro, azido, -SO₂-alkyl, -SO₂-aryl sulfonyl, sulfoxido, sulfate, sulfonate, sulfamoyl, sulfonamido, phosphoryl, phosphorothioate, phosphorothicite, phosphonate, phosphinate, -(CH₂)_palkyl, -(CH₂)_palkenyl, -(CH₂)_palkynyl, -(CH₂)_paryl, -(CH₂)_paralkyl, -(CH₂)_pOH, -(CH₂)_pO-lower alkyl, -(CH₂)_pO-lower alkenyl, -O(CH₂)_nR, -(CH₂)_pSH, -(CH₂)_pS-lower alkyl, -(CH₂)_pS-lower alkenyl, -S(CH₂)_nR, -(CH₂)_pN(R)₂, -(CH₂)_pNR-lower alkyl, -(CH₂)_pNR-lower alkenyl, -NR(CH₂)_nR, and protected forms of the above, wherein R represents, independently for each occurrence, hydrogen, or substituted or unsubstituted aryl, heterocycle, heteroaryl, alkylaryl, alkenyl, or alkyl, and wherein each occurrence of p independently represents an integer from 0-10.
115. (Original) The compound of claim 108, wherein R_C is substituted with at least one phosphorus moiety of formula i or iv.
116. (Currently Amended) The compound of claim 108 ~~or 112~~, wherein R₁ is hydrogen.
117. (Cancelled)
118. (Original) The compound of claim 108 or 112, wherein R_B is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl optionally substituted with one or more halogen groups.
119. (Original) The compound of claim 118, wherein the halogen is chlorine.

120. (Original) The compound of claim 118, wherein R_B is phenyl.
121. (Original) The compound of claim 108 or 112, wherein R_A is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety optionally substituted with one or more hydroxyl moieties.
122. (Currently Amended) The compound of claim 108 or 112, wherein R_A is a substituted or unsubstituted branched or unbranched, cyclic or acyclic aliphatic or heteroaliphatic moiety optionally substituted by one ~~of~~ or more hydroxyl moieties.
123. (Original) The compound of claim 108 or 112, wherein R_A is a branched or unbranched, cyclic or acyclic aliphatic or heteroaliphatic moiety.
124. (Original) The compound of claim 123, wherein R_A is $\text{CH}(\text{CH}_3)_2$, Me, cyclopentyl or cyclohexyl.
125. (Currently Amended) A compound having the structure:




wherein R_A is hydrogen, ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl ~~moiety~~; R_C and R_D are each independently hydrogen, halogen, ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl ~~moiety~~, or $-\text{ZR}_E$, wherein Z is $-\text{O}-$, $-\text{S}-$, or NR_F , wherein R_E is hydrogen, or ~~an~~ a non-aromatic

aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, and R_F is ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, wherein in each of the foregoing groups each aliphatic, heteroaliphatic, alkylaryl, or alkylheteroaryl moiety may be branched or unbranched, cyclic or acyclic and substituted or unsubstituted, and each aryl and heteroaryl moiety may be substituted or unsubstituted;

wherein n is 0-2; wherein P_x is a phosphorus containing moiety having the structure $-P(X)YR_GYR_H$, wherein X is independently ~~an alkyl moiety~~ absent, $=O$ or $=S$; R_G and R_H , for each occurrence, are independently hydrogen, or substituted or unsubstituted non-aromatic aliphatic, non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl, and each occurrence of Y is independently a covalent bond, $-O-$, $-S-$ or $N(R_J)_2$ $-NR_J-$, wherein R_J , ~~for each occurrence~~, is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl;

or is a phosphorus moiety having any one of structures i-viii:



wherein each occurrence of M is independently CH, CH₂, CV, CHV, COH, CHOH, or CV₂, wherein in structures i, ii, iii, vii, and viii M is not CH, CV or COH and in structure iv, v, and vi one M is CH, CV or COH; each occurrence of Y is independently a covalent bond, $-O-$, $-S-$ or $N(R_J)_2$ $-NR_J-$, wherein R_J , ~~for each occurrence~~, is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl; wherein V is a halogen;

each occurrence of x is independently 1-6, and in certain embodiments is 1 or 2; and each occurrence of R₁ is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, alkylheteroaryl, a prodrug or pharmaceutically acceptable derivative; and wherein ~~M~~ m is 1-3.

126. (Original) The compound of claim 125, wherein at least one of Y is O.

127. (Original) The compound of claim 125, wherein each occurrence of Y is O.

128. (Original) The compound of claim 125, wherein at least one of Y is a covalent bond.

129. (Currently Amended) The compound of claim 125, wherein the aryl moiety is further substituted with 0-3 substituents selected from the group consisting of halogen, lower alkyl, lower alkenyl, aryl, heteroaryl, ~~carbonyl, thiocarbonyl,~~ -C(O)-alkyl, -C(O)-aryl, -C(O)-heteroaryl ~~ketone,~~ -C(O)H ~~aldehyde,~~ amino, -CONH₂, -CONH-alkyl, -CONH-aryl, -CONH-heteroaryl, -NHC(O)-alkyl, -NHC(O)-aryl, -NHC(O)-heteroaryl ~~acylamino,~~ ~~amide,~~ amidino, cyano, nitro, azido, -SO₂-alkyl, -SO₂-aryl ~~sulfonyl,~~ sulfoxido, sulfate, sulfonate, sulfamoyl, sulfonamido, phosphoryl, phosphorothioate, phosphonate, phosphinate, $-(CH_2)_p$ alkyl, $-(CH_2)_p$ alkenyl, $-(CH_2)_p$ alkynyl, $-(CH_2)_p$ aryl, $-(CH_2)_p$ aralkyl, $-(CH_2)_p$ OH, $-(CH_2)_p$ O-lower alkyl, $-(CH_2)_p$ O-lower alkenyl, $-O(CH_2)_nR$, $-(CH_2)_p$ SH, $-(CH_2)_p$ S-lower alkyl, $-(CH_2)_p$ S-lower alkenyl, $-S(CH_2)_nR$, $-(CH_2)_pN(R)_2$, $-(CH_2)_pNR$ -lower alkyl, $-(CH_2)_pNR$ -lower alkenyl, $-NR(CH_2)_nR$, and protected forms of the above, wherein R represents, independently for each occurrence, hydrogen, or substituted or unsubstituted aryl, heterocycle, heteroaryl, alkylaryl, alkenyl, or alkyl, and wherein each occurrence of p independently represents an integer from 0-10.

130. (Original) The compound of claim 125, wherein the aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety is substituted with a phosphorus moiety of formula i or iv.

131. (Original) The compound of claim 125, wherein R₁ is hydrogen.


132. (Original) The compound of claim 125, wherein R_D is hydrogen.
133. (Original) The compound of claim 125, wherein R_C is $-ZR_E$, and Z is $-NR_F$, wherein R_E is hydrogen or a substituted or unsubstituted aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl, and R_F is hydrogen or a substituted or unsubstituted aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.
134. (Currently Amended) The compound of claim 133, wherein the aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, and alkylheteroaryl moieties are further substituted by one or more substituents selected from the group consisting of alkyl, aryl, heteroalkyl, heteroaryl, hydroxy, $-OC(O)$ -alkyl, $-OC(O)$ -aryl, $-OC(O)$ -heteroaryl ~~or $-OC(O)$ -heteroaryl~~, or $-SH$ or ~~or $-SH$ or~~ substituted or unsubstituted amino.
- C²⁰ 135. (Currently Amended) The compound of claim 125, wherein R_C is $-ZR_E$, and Z is NR_F , wherein R_E is hydrogen and R_F is a branched or unbranched cyclic or acyclic aliphatic moiety substituted with one or more hydroxy, $-OC(O)$ -alkyl, $-OC(O)$ -aryl, or ~~or $-OC(O)$ -heteroaryl~~ or $-OC(O)$ -heteroaryl or ~~or $-OC(O)$ -heteroaryl~~ or $-OC(O)$ -heteroaryl ~~or $-OC(O)$ -heteroaryl~~ moieties.
136. (Currently Amended) The compound of claim 135, wherein said aliphatic moiety substituted with one or more hydroxy, $-OC(O)$ -alkyl, $-OC(O)$ -aryl, or $-OC(O)$ -heteroaryl ~~or $-OC(O)$ -heteroaryl~~ or $-OC(O)$ -heteroaryl ~~or $-OC(O)$ -heteroaryl~~ moieties is selected from the group consisting of $-(CH)(CHCH_3CH_3)CH_2OH$, $-(CH_2)_nOH$, $(CH_2)_nOAc$ and $-CH(CH_2OH)(CH_2OH)$, wherein n is 1-5.
137. (Original) The compound of claim 125, wherein R_C is $-ZR_E$, and Z is NR_F , wherein R_E is hydrogen, and R_F is a branched or unbranched, cyclic or acyclic aliphatic moiety substituted with one or more substituted or unsubstituted amino groups.
138. (Currently Amended) The compound of claim 137, wherein said one or more substituted or unsubstituted amino groups are each independently selected from the group consisting of NH_2 , NR_KH , and NR_KR_L , ~~$-(CH_2)_nNH_2$, $-(CH_2)_nNR_KH$, and $-(CH_2)_nNR_LR_M$~~ , wherein R_K , and R_L ~~and R_M~~ are each independently a substituted or unsubstituted, branched or

unbranched non-aromatic aliphatic, non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety.

139. (Currently Amended) The compound of claim ~~138~~ 133, wherein R_C is an amino group substituted with an alkyl moiety.
140. (Original) The compound of claim 139, wherein the alkyl moiety is methyl, ethyl, propyl, butyl, pentyl, hexyl, cyclopentyl, or cyclohexyl.
141. (Currently Amended) The compound of claim ~~138~~ 133, wherein R_C is an amino group substituted with one or more pyrazolyl groups.
- C 20 142. (Currently Amended) The compound of claim ~~138~~ 133, wherein R_C is an amino group substituted with one or more pyridyl groups.
143. (Currently Amended) The compound of claim ~~138~~ 133, wherein R_C is an amino group substituted with one or more 5- or 6-membered rings substituted with one or two O, N or S atoms, or any combination thereof.
144. (Original) The compound of claim 125, wherein R_C is -ZR_E, and Z is -O-; and R_E is a branched or unbranched, cyclic or acyclic, substituted or unsubstituted alkyl or heteroalkyl moiety; or is a substituted or unsubstituted aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety.
145. (Original) The compound of claim 144, wherein said alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety is further substituted with one or more groups selected from the group consisting of halogen, branched or unbranched alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.
146. (Original) The compound of claim 144, wherein R_C is a substituted or unsubstituted methoxy, ethoxy, propyloxy, butyloxy, or pentyloxy group.

147. (Original) The compound of claim 144, wherein R_C is an alkoxy moiety further substituted with an amino, heteroalkyl or heteroaryl moiety.
148. (Original) The compound of claim 147, wherein R_C is an alkoxy moiety substituted with a pyrazolyl moiety.
149. (Original) The compound of claim 147, wherein R_C is an alkoxy moiety substituted with a pyridyl moiety.
150. (Original) The compound of claim 125, wherein R_C is -ZR_E, and Z is -S-; and R_E is a branched or unbranched, cyclic or acyclic, substituted or unsubstituted alkyl or heteroalkyl moiety; or is a substituted or unsubstituted aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety.
151. (Original) The compound of claim 150, wherein said alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety is further substituted with one or more groups selected from the group consisting of halogen, branched or unbranched alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.
152. (Original) The compound of claim 151, wherein R_C is a substituted or unsubstituted methylthio, ethylthio, propylthio, butylthio, or pentylthio.
153. (Original) The compound of claim 152, wherein R_C is an thioalkyl moiety further substituted with an amino, heteroalkyl or heteroaryl moiety.
154. (Original) The compound of claim 153, wherein R_C is an thioalkyl moiety substituted with a pyrazolyl moiety.
155. (Original) The compound of claim 153, wherein R_C is an thioalkyl moiety substituted with a pyridyl moiety.

156. (Original) The compound of claim 153, wherein R_A is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety optionally substituted with one or more hydroxyl moieties.
157. (Currently Amended) The compound of claim 125, wherein R_A is a substituted or unsubstituted branched or unbranched, cyclic or acyclic aliphatic or heteroaliphatic moiety optionally substituted by one ~~of~~ or more hydroxyl moieties.
158. (Currently Amended) A compound having the structure:




wherein R_A is hydrogen, ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl ~~moiety~~; R_B is ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl ~~moiety~~; and R_D is hydrogen, halogen, ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl ~~moiety~~, or $-Z R_E$, wherein Z is $-O-$, $-S-$, or $N R_F$, wherein R_E is hydrogen, or ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl ~~moiety~~, and R_F is ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl ~~moiety~~, wherein in each of the foregoing groups each aliphatic, heteroaliphatic, alkylaryl, or alkylheteroaryl moiety may be branched or unbranched, cyclic or acyclic and substituted or unsubstituted, and each aryl and heteroaryl moiety may be substituted or unsubstituted;

wherein AK is a linear or branched, cyclic or acyclic, substituted or unsubstituted non-aromatic aliphatic or non-aromatic heteroaliphatic moiety; and wherein HA is absent, $-O-$, $-S-$ or $-NH-$;

wherein P_x is a phosphorus containing moiety having the structure - $P(X)YR_GYR_H$, wherein X is independently ~~an alkyl moiety~~ absent, =O or =S; R_G and R_H , for each occurrence, are independently hydrogen, or substituted or unsubstituted non-aromatic aliphatic, non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl, and each occurrence of Y is independently a covalent bond, -O-, -S- or $N(R_J)_2$ - NR_J -, wherein R_J , ~~for each occurrence~~, is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl;


or is a phosphorus moiety having any one of structures i-viii:



wherein each occurrence of M is independently CH, CH₂, CV, CHV, COH, CHOH, or CV₂, wherein in structures i, ii, iii, vii, and viii M is not CH, CV or COH and in structure iv, v, and vi one M is CH, CV or COH; each occurrence of Y is independently a covalent bond, -O-, -S- or $N(R_J)_2$ - NR_J -, wherein R_J , ~~for each occurrence~~, is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl; wherein V is a halogen; each occurrence of x is independently 1-6, and in certain embodiments is 1 or 2; and each occurrence of R_1 is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, alkylheteroaryl, a prodrug or pharmaceutically acceptable derivative; and wherein m is 1-3.

159. (Original) The compound of claim 158, wherein Px is formula i-vii, m is 1, and one or more occurrences of Y is O.
160. (Original) The compound of claim 158, wherein one or more occurrences of Y is a covalent bond.
161. (Original) The compound of claim 158, wherein HA is -O- or -S-.
162. (Currently Amended) The compound of claim 158, wherein HA is -NH₂.
- C²⁰ 163. (Original) The compound of claim 158, wherein HA is absent.
164. (Original) The compound of claim 158, wherein Px is -P(X)YR_GYR_H, one or more occurrences of Y is O, X is O, R_G and R_H are each hydrogen or aliphatic, and m is 2 or 3.
165. (Original) The compound of claim 158, wherein one or more occurrences of R₁ is hydrogen.
166. (Original) The compound of claim 158, wherein one or more of R_G, R_H, R₁ are each independently alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.
167. (Original) The compound of claim 158, wherein R_D is hydrogen.
168. (Original) The compound of claim 158, wherein R_B is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl optionally substituted with one or more halogen groups.
169. (Original) The compound of claim 168, wherein the halogen is chlorine.
170. (Original) The compound of claim 168, wherein R_B is phenyl.

171. (Original) The compound of claim 158, wherein R_A is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety optionally substituted with one or more hydroxyl moieties.
172. (Currently Amended) The compound of claim 158, wherein R_A is a substituted or unsubstituted branched or unbranched, cyclic or acyclic aliphatic or heteroaliphatic moiety optionally substituted by one ~~of~~ or more hydroxyl moieties.
173. (Original) The compound of claim 158, wherein R_A is a branched or unbranched, cyclic or acyclic aliphatic or heteroaliphatic moiety.
174. (Original) The compound of claim 173, wherein R_A is $\text{CH}(\text{CH}_3)_2$, Me, cyclopentyl or cyclohexyl.
175. (Original) A pharmaceutical composition comprising the compound of claim 1, 2, 125, or 158, and a pharmaceutically acceptable carrier or excipient.
176. (Currently Amended) A method for treating ~~bone-related~~ disorders involving bone metabolism comprising:
- administering to a subject in need thereof a therapeutically effective amount of a compound ~~having~~ that inhibits the activity of osteoclasts, wherein the compound has the formula:



(I)


wherein R_A is hydrogen, ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl ~~moiety~~; R_B is ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl ~~moiety~~; R_C and R_D are each independently hydrogen, halogen, ~~an~~ a

non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, or -ZR_E, wherein Z is -O-, -S-, or NR_F, wherein R_E is hydrogen, or ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, and R_F is ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, wherein in each of the foregoing groups each aliphatic, heteroaliphatic, alkylaryl, or alkylheteroaryl moiety may be branched or unbranched, cyclic or acyclic and substituted or unsubstituted, and each aryl and heteroaryl moiety may be substituted or unsubstituted;

whereby at least one of R_A, R_B, R_C or R_D as defined above, is substituted by one or more phosphorus moieties.

- C²⁰
177. (Currently Amended) The method of claim 176, wherein, either of R_B or R_C is a cyclic or acyclic, substituted or unsubstituted aliphatic or heteroaliphatic moiety, or is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety substituted with one or more phosphorus moieties, wherein the one or more phosphorus moieties are each independently a group having the structure -P(X)YR_GYR_H, wherein X is independently ~~an alkyl moiety~~ absent, =O or =S; R_G and R_H, for each occurrence, are independently hydrogen, or substituted or unsubstituted non-aromatic aliphatic, non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl, and each occurrence of Y is independently a covalent bond, -O-, -S- or N(R_J)₂ -NR_J-, wherein R_J, ~~for each occurrence~~, is ~~independently~~ hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl;

or the one or more phosphorus moieties are each independently a group having any one of structures i-viii having the structure:




wherein each occurrence of M is independently CV, CV₂, -NV-, N, -O- or -S-, wherein in structures i, ii, iii, vii, and viii M is not CV or N and in structure iv, v, and vi one M is CV or N, wherein each occurrence of V is independently hydrogen, OH, halogen, or a non-aromatic aliphatic; each occurrence of Y is independently a covalent bond, -O-, -S- or N(R₁)₂ -NR₁-, wherein R₁, ~~for each occurrence,~~ is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl; each occurrence of x is independently 1-6, and in certain embodiments is 1 or 2; and each occurrence of R₁ is independently hydrogen, aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, alkylheteroaryl, a prodrug or pharmaceutically acceptable derivative.

178. (Currently Amended) The method of claim 176, wherein R_A, R_B, R_C or R_D, as defined above, is additionally substituted with 0-3 substituents selected from the group consisting of halogen, lower alkyl, lower alkenyl, aryl, heteroaryl, carbonyl, thiocarbonyl, -C(O)-alkyl, -C(O)-aryl, -C(O)-heteroaryl ketone, -C(O)H aldehyde, amino, -CONH₂, -CONH-alkyl, -CONH-aryl, -CONH-heteroaryl, -NHC(O)-alkyl, -NHC(O)-aryl, -NHC(O)-heteroaryl acylamino, amide, amidino, cyano, nitro, azido, -SO₂-alkyl, -SO₂-aryl sulfonyl, sulfoxido, sulfate, sulfonate, sulfamoyl, sulfonamido, phosphoryl, phosphorothioate, phosphonate, phosphinate, -(CH₂)_palkyl, -(CH₂)_palkenyl, -(CH₂)_palkynyl, -(CH₂)_paryl, -(CH₂)_paralkyl, -(CH₂)_pOH, -(CH₂)_pO-lower alkyl, -(CH₂)_pO-lower alkenyl, -O(CH₂)_nR, -(CH₂)_pSH, -(CH₂)_pS-lower alkyl, -(CH₂)_pS-lower

alkenyl, $-S(CH_2)_nR$, $-(CH_2)_pN(R)_2$, $-(CH_2)_pNR$ -lower alkyl, $-(CH_2)_pNR$ -lower alkenyl, $-NR(CH_2)_nR$, and protected forms of the above, wherein R represents, independently for each occurrence, hydrogen, or substituted or unsubstituted aryl, heterocycle, heteroaryl, alkylaryl, alkenyl, or alkyl, and wherein each occurrence of p independently represents an integer from 0-10.

179. (Currently Amended) The method of claim 176, wherein R_B , R_C or R_D is independently a moiety having the structure ix-xvi:




wherein each occurrence of M is independently CV_2 , $-NV-$, $-O-$ or $-S-$, wherein each occurrence of V is independently hydrogen, OH, halogen, or a non-aromatic aliphatic; each occurrence of Y is independently a covalent bond, $-O-$, $-S-$ or $N(R_J)_2$ $-NR_J-$, wherein R_J , ~~for each occurrence,~~ is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl; each occurrence of x is independently 0-6, and in certain embodiments is 1-2; wherein L

is CW, wherein W is hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, or hydroxyl; and each occurrence of R₁ is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, alkylheteroaryl, a prodrug or pharmaceutically acceptable derivative; and

C²⁰
wherein each occurrence of R₂ independently represents from 0-3 substituents independently selected from the group consisting of halogen, lower alkyl, lower alkenyl, aryl, heteroaryl, ~~carbonyl~~, ~~thiocarbonyl~~, -C(O)-alkyl, -C(O)-aryl, -C(O)-heteroaryl, ~~ketone~~, -C(O)H ~~aldehyde~~, amino, -CONH₂, -CONH-alkyl, -CONH-aryl, -CONH-heteroaryl, -NHC(O)-alkyl, -NHC(O)-aryl, -NHC(O)-heteroaryl ~~acylamino~~, ~~amide~~, amidino, cyano, nitro, azido, -SO₂-alkyl, -SO₂-aryl ~~sulfonyl~~, sulfoxido, sulfate, sulfonate, sulfamoyl, sulfonamido, phosphoryl, phosphorothioate, phosphonate, phosphinate, -(CH₂)_palkyl, -(CH₂)_palkenyl, -(CH₂)_palkynyl, -(CH₂)_paryl, -(CH₂)_paralkyl, -(CH₂)_pOH, -(CH₂)_pO-lower alkyl, -(CH₂)_pO-lower alkenyl, -O(CH₂)_nR, -(CH₂)_pSH, -(CH₂)_pS-lower alkyl, -(CH₂)_pS-lower alkenyl, -S(CH₂)_nR, -(CH₂)_pN(R)₂, -(CH₂)_pNR-lower alkyl, -(CH₂)_pNR-lower alkenyl, -NR(CH₂)_pR, and protected forms of the above, wherein R represents, independently for each occurrence, hydrogen, or substituted or unsubstituted aryl, heterocycle, heteroaryl, alkylaryl, alkenyl, or alkyl, and wherein each occurrence of p independently represents an integer from 0-10.

180. (Currently Amended) A method of treating or preventing ~~bone~~ disorders involving bone metabolism comprising administering to a subject in need thereof a compound ~~having~~ that inhibits osteoclast activity, wherein the compound has the formula:




C²⁰

wherein R_A is hydrogen, ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety; R_C and R_D are each independently hydrogen, halogen, ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, or -ZR_E, wherein Z is -O-, -S-, or NR_F, wherein R_E is hydrogen, or ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, and R_F is ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, wherein in each of the foregoing groups each aliphatic, heteroaliphatic, alkylaryl, or alkylheteroaryl moiety may be branched or unbranched, cyclic or acyclic and substituted or unsubstituted, and each aryl and heteroaryl moiety may be substituted or unsubstituted;


wherein n is 0-2; wherein P_x is a phosphorus containing group having the structure -P(X)YR_GYR_H, wherein X is independently ~~an alkyl moiety~~ absent, =O or =S; R_G and R_H, for each occurrence, are independently hydrogen, or substituted or unsubstituted non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl, and each occurrence of Y is independently a covalent bond, -O-, -S- or N(R_J)₂ ~~-NR_J-~~, wherein R_J, ~~for each occurrence,~~ is ~~independently~~ hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl;

or is a phosphorus moiety any one of structures i-viii:



wherein each occurrence of M is independently CH, CH₂, CV, CHV, COH, CHOH, or CV₂, wherein in structures i, ii, iii, vii, and viii M is not CH, CV or COH and in structure iv, v, and vi one M is CH, CV or COH; each occurrence of Y is independently a covalent bond, -O-, -S- or N(R_J)₂ -NR_J-, wherein R_J, for each occurrence, is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl; wherein V is a halogen; each occurrence of x is independently 1-6, and in certain embodiments is 1 or 2; and each occurrence of R₁ is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, alkylheteroaryl, a prodrug or pharmaceutically acceptable derivative; and wherein M is 1-3.

181. (Currently Amended) A method of treating or preventing ~~bone~~ disorders involving bone metabolism comprising administering to a subject in need thereof a therapeutically effective amount of a compound having that inhibits osteoclast activity, wherein the compound has the formula:




wherein R_A is hydrogen, ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety; R_B is ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety; and R_D is hydrogen, halogen, ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, or -ZR_E, wherein Z is -O-, -S-, or NR_F, wherein R_E is hydrogen, or ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, and R_F is ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, wherein in each of the foregoing groups each aliphatic, heteroaliphatic, alkylaryl, or alkylheteroaryl moiety may be branched or unbranched, cyclic or acyclic and substituted or unsubstituted, and each aryl and heteroaryl moiety may be substituted or unsubstituted;

wherein AK is a linear or branched, cyclic or acyclic, substituted or unsubstituted non-aromatic aliphatic or a non-aromatic heteroaliphatic moiety; and wherein HA is absent, -O-, -S- or -NH-;

wherein P_x is a phosphorus containing moiety having the structure - P(X)YR_GYR_H, wherein X is independently ~~an alkyl moiety~~ absent, =O or =S; R_G and R_H, for each occurrence, are independently hydrogen, or substituted or unsubstituted non-aromatic aliphatic, non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl, and each occurrence of Y is independently a covalent bond, -O-, -S- or N(R_J)₂ -NR_J-, wherein R_J, ~~for each occurrence~~, is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl;


or is a phosphorus moiety having any one of structures i-viii:



wherein each occurrence of M is independently CH, CH₂, CV, CHV, COH, CHOH, or CV₂, wherein in structures i, ii, iii, vii, and viii M is not CH, CV or COH and in structure iv, v, and vi one M is CH, CV or COH; each occurrence of Y is independently a covalent bond, -O-, -S- or N(R_J)₂ -NR_J-, wherein R_J, ~~for each occurrence, is independently~~ hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl; wherein V is a halogen; each occurrence of x is independently 1-6, and in certain embodiments is 1 or 2; and each occurrence of R₁ is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, alkylheteroaryl, a prodrug or pharmaceutically acceptable derivative; and wherein m is 1-3.

182. (Currently Amended) The method of claim 176, 180, or 181, wherein the therapeutically effective amount is in the range of 0.01 mg/kg of the subjects weight to about 50 mg/kg of the subjects weight per day.
183. (Original) The method of claim 176, 180, or 181, wherein the bone disorder is osteoporosis.
184. (Currently Amended) A method treating cancer comprising:

administering to a subject in need thereof a therapeutically effective amount of a compound having the structure:




(I)

wherein R_A is hydrogen, an a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety; R_B is an a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety; R_C and R_D are each independently hydrogen, halogen, an a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, or -ZR_E, wherein Z is -O-, -S-, or NR_F, wherein R_E is hydrogen, or an a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, and R_F is an a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, wherein in each of the foregoing groups each aliphatic, heteroaliphatic, alkylaryl, or alkylheteroaryl moiety may be branched or unbranched, cyclic or acyclic and substituted or unsubstituted, and each aryl and heteroaryl moiety may be substituted or unsubstituted;

whereby at least one of R_A, R_B, R_C or R_D as defined above, is substituted by one or more phosphorus moieties;


wherein R_A is not a heteroaliphatic moiety substituted by one or more phosphorus moieties.

185. (Currently Amended) The method of claim 184, wherein either of R_B or R_C is a cyclic or acyclic, substituted or unsubstituted aliphatic or heteroaliphatic moiety, or is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety substituted with one or more phosphorus moieties having the structure:



wherein each occurrence of M is independently CV, CV₂, -NV-, N, -O- or -S-, wherein in structures i, ii, iii, vii, and viii M is not CV or N and in structure iv, v, and vi one M is CV or N, wherein each occurrence of V is independently hydrogen, OH, halogen, or aliphatic; each occurrence of Y is independently a covalent bond, -O-, -S- or N(R_J)₂ -NR_J-, wherein R_J, for each occurrence, is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl; each occurrence of x is independently 1 or 2; and each occurrence of R₁ is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, alkylheteroaryl, a prodrug or pharmaceutically acceptable derivative.

186. (Currently Amended) A method for treating cancer comprising administering to a subject in need thereof an effective amount of a compound having the structure:




C²⁰

wherein R_A is hydrogen, ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety; R_C and R_D are each independently hydrogen, halogen, ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, or $-ZR_E$, wherein Z is $-O-$, $-S-$, or NR_F , wherein R_E is hydrogen, or ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, and R_F is ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, wherein in each of the foregoing groups each aliphatic, heteroaliphatic, alkylaryl, or alkylheteroaryl moiety may be branched or unbranched, cyclic or acyclic and substituted or unsubstituted, and each aryl and heteroaryl moiety may be substituted or unsubstituted;


wherein n is 0-2; wherein P_x is a phosphorus containing group having the structure $-P(X)YR_GYR_H$, wherein X is independently ~~an alkyl moiety absent~~, $=O$ or $=S$; R_G and R_H , for each occurrence, are independently hydrogen, or substituted or unsubstituted non-aromatic aliphatic, non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl, and each occurrence of Y is independently a covalent bond, $-O-$, $-S-$ or $N(R_J)_2$ ~~$-NR_J-$~~ , wherein R_J , ~~for each occurrence~~, is ~~independently~~ hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl;

or is a phosphorus moiety having any one of structures i-viii:



wherein each occurrence of M is independently CH, CH₂, CV, CHV, COH, CHOH, or CV₂, wherein in structures i, ii, iii, vii, and viii M is not CH, CV or COH and in structure iv, v, and vi one M is CH, CV or COH; each occurrence of Y is independently a covalent bond, -O-, -S- or N(R₁)₂ -NR₁-, wherein R₁, ~~for each occurrence, is independently~~ hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl; wherein V is a halogen; each occurrence of x is independently 1-6, and in certain embodiments is 1 or 2; and each occurrence of R₁ is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, alkylheteroaryl, a prodrug or pharmaceutically acceptable derivative.

187. (Original) The method of claim 184 or 186, wherein one or more occurrences of Y is O.
188. (Original) The method of claim 184 or 186, wherein one or more occurrences of Y is a covalent bond.
189. (Original) The method of claim 184 or 186, wherein one or more occurrences of R₁ is an aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety.
190. (Currently Amended) A method for inhibiting the growth of tumor cells comprising contacting cells with an effective amount of a compound having the structure:




(I)

wherein R_A is hydrogen, ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety; R_B is ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety; R_C and R_D are each independently hydrogen, halogen, ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, or $-ZR_E$, wherein Z is $-O-$, $-S-$, or NR_F , wherein R_E is hydrogen, or ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, and R_F is ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, wherein in each of the foregoing groups each aliphatic, heteroaliphatic, alkylaryl, or alkylheteroaryl moiety may be branched or unbranched, cyclic or acyclic and substituted or unsubstituted, and each aryl and heteroaryl moiety may be substituted or unsubstituted;

whereby at least one of R_A , R_B , R_C or R_D as defined above, is substituted by one or more phosphorus moieties;


wherein R_A is not a heteroaliphatic moiety substituted by one or more phosphorus moieties.

191. (Currently Amended) The method of claim 190, wherein either of R_B or R_C is a cyclic or acyclic, substituted or unsubstituted aliphatic or heteroaliphatic moiety, or is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety substituted with one or more phosphorus moieties having the structure:



wherein each occurrence of M is independently CV, CV_2 , -NV-, N, -O- or -S-,
 wherein in structures i, ii, iii, vii, and viii M is not CV or N and in structure iv, v, and vi
 one M is CV or N, wherein each occurrence of V is independently hydrogen, OH,
 halogen, or a non-aromatic aliphatic; each occurrence of Y is independently a covalent
 bond, -O-, -S- or $N(R_1)_2$ - NR_1 -, wherein R_1 , ~~for each occurrence~~, is independently
 hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl,
 alkylaryl, or alkylheteroaryl; each occurrence of x is independently 1 or 2; and each
 occurrence of R_1 is independently hydrogen, a non-aromatic aliphatic, a non-aromatic
 heteroaliphatic, aryl, heteroaryl, alkylaryl, alkylheteroaryl, a prodrug or pharmaceutically
 acceptable derivative.


192. (Currently Amended) A method for inhibiting the growth of tumor cells comprising administering to a subject in need thereof a therapeutically effective amount of a compound having the structure:



C^{2D}

wherein R_A is hydrogen, ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety; R_C and R_D are each independently hydrogen, halogen, ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, or -ZR_E, wherein Z is -O-, -S-, or NR_F, wherein R_E is hydrogen, or ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, and R_F is ~~an~~ a non-aromatic aliphatic, a non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl moiety, wherein in each of the foregoing groups each aliphatic, heteroaliphatic, alkylaryl, or alkylheteroaryl moiety may be branched or unbranched, cyclic or acyclic and substituted or unsubstituted, and each aryl and heteroaryl moiety may be substituted or unsubstituted;

wherein n is 0-2; wherein P_x is a phosphorus containing group having any one of structures i-viii:



wherein each occurrence of M is independently CH, CH₂, CV, CHV, COH, CHOH, or CV₂, wherein in structures i, ii, iii, vii, and viii M is not CH, CV or COH and in structure iv, v, and vi one M is CH, CV or COH; each occurrence of Y is independently a covalent bond, -O-, -S- or N(R_J)₂ -NR_J-, wherein R_J, ~~for each occurrence, is independently~~ hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl; wherein V is a halogen; each occurrence of x is independently 1-6, and in certain embodiments is 1 or 2; and each occurrence of R₁ is independently hydrogen, a non-aromatic aliphatic, a non-aromatic heteroaliphatic, aryl, heteroaryl, alkylaryl, alkylheteroaryl, a prodrug or pharmaceutically acceptable derivative.

193. (Original) The method of claim 190 or 192, wherein one or more occurrences of Y is O.
194. (Original) The method of claim 190 or 192, wherein one or more occurrences of Y is a covalent bond.
195. (Original) The method of claim 190 or 192, wherein one or more occurrences of R₁ is an aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety.
196. (New) The compound of claim 25, wherein R₁ is hydrogen.

197. (New) The compound of claim 25, wherein R_C is $-ZR_E$, and Z is $-NR_F$, wherein R_E is hydrogen or a substituted or unsubstituted aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl, and R_F is hydrogen or a substituted or unsubstituted aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.
198. (New) The compound of claim 197, wherein the aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, and alkylheteroaryl moieties are further substituted by one or more substituents selected from the group consisting of alkyl, aryl, heteroalkyl, heteroaryl, hydroxy, $-C(O)$ -alkyl, $-C(O)$ -aryl, $-C(O)$ -heteroaryl, $-SH$, or substituted or unsubstituted amino.
199. (New) The compound of claim 25, wherein R_C is $-ZR_E$, and Z is NR_F , wherein R_E is hydrogen and R_F is a branched or unbranched cyclic or acyclic aliphatic moiety substituted with one or more hydroxy, $-C(O)$ -alkyl, $-C(O)$ -aryl, or $-C(O)$ -heteroaryl moieties.
200. (New) The compound of claim 199, wherein said aliphatic moiety substituted with one or more hydroxy, $-C(O)$ -alkyl, $-C(O)$ -aryl, or $-C(O)$ -heteroaryl moieties is selected from the group consisting of $-(CH)(CHCH_3CH_3)CH_2OH$, $-(CH_2)_nOH$, $(CH_2)_nOAc$ and $-CH(CH_2OH)(CH_2OH)$, wherein n is 1-5.
201. (New) The compound of claim 25, wherein R_C is $-ZR_E$, and Z is NR_F , wherein R_E is hydrogen, and R_F is a branched or unbranched, cyclic or acyclic aliphatic moiety substituted with one or more substituted or unsubstituted amino groups.
202. (New) The compound of claim 201, wherein said one or more substituted or unsubstituted amino groups are each independently selected from the group consisting of NH_2 , NR_KH , and NR_KR_L , wherein R_K and R_L are each independently a substituted or unsubstituted, branched or unbranched non-aromatic aliphatic, a substituted or unsubstituted, branched or unbranched non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl.

- C²⁰
203. (New) The compound of claim 197, wherein R_C is an amino group substituted with an alkyl moiety.
204. (New) The compound of claim 203, wherein the alkyl moiety is methyl, ethyl, propyl, butyl, pentyl, hexyl, cyclopentyl, or cyclohexyl.
205. (New) The compound of claim 197, wherein R_C is an amino group substituted with one or more pyrazolyl groups.
206. (New) The compound of claim 197, wherein R_C is an amino group substituted with one or more 5- or 6-membered rings substituted with one or two O, N or S atoms, or any combination thereof.
207. (New) The compound of claim 25, wherein R_C is -ZR_E, and Z is -O-; and R_E is a branched or unbranched, cyclic or acyclic, substituted or unsubstituted alkyl or heteroalkyl moiety; or is a substituted or unsubstituted aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety.
208. (New) The compound of claim 207, wherein said alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety is further substituted with one or more groups selected from the group consisting of halogen, branched or unbranched alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.
209. (New) The compound of claim 207, wherein R_C is a substituted or unsubstituted methoxy, ethoxy, propyloxy, butyloxy, or pentyloxy group.
210. (New) The compound of claim 207, wherein R_C is an alkoxy moiety further substituted with a substituted or unsubstituted amino, heteroalkyl or heteroaryl moiety, wherein said heteroalkyl moiety or amino moiety is cyclic or acyclic.

211. (New) The compound of claim 210, wherein R_C is an alkoxy moiety substituted with a pyrazolyl moiety.
212. (New) The compound of claim 210, wherein R_C is an alkoxy moiety substituted with a pyridyl moiety.
213. (New) The compound of claim 25, wherein R_C is $-ZR_E$, and Z is $-S-$; and R_E is a branched or unbranched, cyclic or acyclic, substituted or unsubstituted alkyl or heteroalkyl moiety; or is a substituted or unsubstituted aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety.
214. (New) The compound of claim 213, wherein said alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety is further substituted with one or more groups selected from the group consisting of halogen, branched or unbranched alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.
215. (New) The compound of claim 213, wherein R_C is a substituted or unsubstituted methylthio, ethylthio, propylthio, butylthio, or pentylthio.
216. (New) The compound of claim 213, wherein R_C is a thioalkyl moiety further substituted with an amino, heteroalkyl or heteroaryl moiety.
217. (New) The compound of claim 216, wherein R_C is a thioalkyl moiety substituted with a pyrazolyl moiety.
218. (New) The compound of claim 216, wherein R_C is a thioalkyl moiety substituted with a pyridyl moiety.
219. (New) The compound of claim 25, wherein R_A is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety optionally substituted with one or more hydroxyl moieties.

220. (New) The compound of claim 25, wherein R_A is a substituted or unsubstituted branched or unbranched, cyclic or acyclic aliphatic or heteroaliphatic moiety optionally substituted by one or more hydroxyl moieties.
221. (New) The compound of claim 59, wherein the cyclic or acyclic aliphatic or heteroaliphatic moiety is further substituted with 0-3 substituents selected from the group consisting of halogen, lower alkyl, lower alkenyl, aryl, heteroaryl, carbonyl, thiocarbonyl, -C(O)-alkyl, -C(O)-aryl, -C(O)-heteroaryl, -C(O)H, amino, -CONH₂, -CONH-alkyl, -CONH-aryl, -CONH-heteroaryl, -NHC(O)-alkyl, -NHC(O)-aryl, -NHC(O)-heteroaryl, amidino, cyano, nitro, azido, -SO₂-alkyl, -SO₂-aryl, sulfoxido, sulfate, sulfonate, sulfamoyl, sulfonamido, phosphoryl, phosphorothioate, phosphonate, phosphinate, -(CH₂)_palkyl, -(CH₂)_palkenyl, -(CH₂)_palkynyl, -(CH₂)_paryl, -(CH₂)_paralkyl, -(CH₂)_pOH, -(CH₂)_pO-lower alkyl, -(CH₂)_pO-lower alkenyl, -O(CH₂)_nR, -(CH₂)_pSH, -(CH₂)_pS-lower alkyl, -(CH₂)_pS-lower alkenyl, -S(CH₂)_nR, -(CH₂)_pN(R)₂, -(CH₂)_pNR-lower alkyl, -(CH₂)_pNR-lower alkenyl, -NR(CH₂)_nR, and protected forms of the above, wherein R represents, independently for each occurrence, hydrogen, or substituted or unsubstituted aryl, heterocycle, heteroaryl, alkylaryl, alkenyl, or alkyl, and wherein each occurrence of p independently represents an integer from 0-10.
222. (New) The compound of claim 59, wherein R_1 is hydrogen.
223. (New) The compound of claim 59, wherein R_C is -Z R_E , and Z is -NR_F, wherein R_E is hydrogen or a substituted or unsubstituted aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl, and R_F is hydrogen or a substituted or unsubstituted aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.
224. (New) The compound of claim 223, wherein the aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, and alkylheteroaryl moieties are further substituted by one or more substituents selected from the group consisting of alkyl, aryl, heteroalkyl, heteroaryl, hydroxy, -C(O)-alkyl, -C(O)-aryl, -C(O)-heteroaryl, -SH, or substituted or unsubstituted amino.

C²⁰

225. (New) The compound of claim 59, wherein R_C is $-ZR_E$, and Z is NR_F , wherein R_E is hydrogen and R_F is a branched or unbranched cyclic or acyclic aliphatic moiety substituted with one or more hydroxy, $-C(O)$ -alkyl, $-C(O)$ -aryl, or $-C(O)$ -heteroaryl moieties.
226. (New) The compound of claim 225, wherein said aliphatic moiety substituted with one or more hydroxy, $-C(O)$ -alkyl, $-C(O)$ -aryl, or $-C(O)$ -heteroaryl moieties is selected from the group consisting of $-(CH)(CHCH_3CH_3)CH_2OH$, $-(CH_2)_nOH$, $(CH_2)_nOAc$ and $-CH(CH_2OH)(CH_2OH)$, wherein n is 1-5.
227. (New) The compound of claim 59, wherein R_C is $-ZR_E$, and Z is NR_F , wherein R_E is hydrogen, and R_F is a branched or unbranched, cyclic or acyclic aliphatic moiety substituted with one or more substituted or unsubstituted amino groups.
228. (New) The compound of claim 227, wherein said one or more substituted or unsubstituted amino groups are each independently selected from the group consisting of NH_2 , NR_KH , and NR_KR_L , wherein R_K and R_L are each independently a substituted or unsubstituted, branched or unbranched non-aromatic aliphatic, a substituted or unsubstituted, branched or unbranched non-aromatic heteroaliphatic, an aryl, a heteroaryl, an alkylaryl, or an alkylheteroaryl.
229. (New) The compound of claim 223, wherein R_C is an amino group substituted with an alkyl moiety.
230. (New) The compound of claim 229, wherein the alkyl moiety is methyl, ethyl, propyl, butyl, pentyl, hexyl, cyclopentyl, or cyclohexyl.
231. (New) The compound of claim 223, wherein R_C is an amino group substituted with one or more pyrazolyl groups.

232. (New) The compound of claim 223, wherein R_C is an amino group substituted with one or more 5- or 6-membered rings substituted with one or two O, N or S atoms, or any combination thereof.
233. (New) The compound of claim 59, wherein R_C is $-ZR_E$, and Z is $-O-$; and R_E is a branched or unbranched, cyclic or acyclic, substituted or unsubstituted alkyl or heteroalkyl moiety; or is a substituted or unsubstituted aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety.
234. (New) The compound of claim 233, wherein said alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety is further substituted with one or more groups selected from the group consisting of halogen, branched or unbranched alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.
- C²⁰ 235. (New) The compound of claim 233, wherein R_C is a substituted or unsubstituted methoxy, ethoxy, propyloxy, butyloxy, or pentyloxy group.
236. (New) The compound of claim 233, wherein R_C is an alkoxy moiety further substituted with a substituted or unsubstituted amino, heteroalkyl or heteroaryl moiety, wherein said heteroalkyl moiety or amino moiety is cyclic or acyclic.
237. (New) The compound of claim 236, wherein R_C is an alkoxy moiety substituted with a pyrazolyl moiety.
238. (New) The compound of claim 236, wherein R_C is an alkoxy moiety substituted with a pyridyl moiety.
239. (New) The compound of claim 59, wherein R_C is $-ZR_E$, and Z is $-S-$; and R_E is a branched or unbranched, cyclic or acyclic, substituted or unsubstituted alkyl or heteroalkyl moiety; or is a substituted or unsubstituted aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety.

240. (New) The compound of claim 239, wherein said alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety is further substituted with one or more groups selected from the group consisting of halogen, branched or unbranched alkyl, heteroalkyl, aryl, heteroaryl, alkylaryl, or alkylheteroaryl.
241. (New) The compound of claim 239, wherein R_C is a substituted or unsubstituted methylthio, ethylthio, propylthio, butylthio, or pentylthio.
242. (New) The compound of claim 239, wherein R_C is an thioalkyl moiety further substituted with an amino, heteroalkyl or heteroaryl moiety.
243. (New) The compound of claim 239, wherein R_C is an thioalkyl moiety substituted with a pyrazolyl moiety.
- C²⁰ 244. (New) The compound of claim 239, wherein R_C is an thioalkyl moiety substituted with a pyridyl moiety.
245. (New) The compound of claim 59, wherein R_A is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety optionally substituted with one or more hydroxyl moieties.
246. (New) The compound of claim 59, wherein R_A is a substituted or unsubstituted branched or unbranched, cyclic or acyclic aliphatic or heteroaliphatic moiety optionally substituted by one or more hydroxyl moieties.
247. (New) The compound of claim 90, wherein at least one occurrence of Y is O.
248. (New) The compound of claim 90, wherein each occurrence of Y is O.
249. (New) The compound of claim 90, wherein at least one of Y is a covalent bond.

250. (New) The compound of claim 94, wherein R_C is $-ZR_E$, wherein Z is $-O-$, $-S-$, or NR_F , wherein R_E is hydrogen, or an aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety, and R_F is an aliphatic, heteroaliphatic, aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety, whereby at least one of R_E or R_F represents an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety, whereby at least one of said aryl, heteroaryl, alkylaryl, or alkylheteroaryl moieties is substituted by at least one phosphorus moiety.
251. (New) The compound of claim 94, wherein the aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety is further substituted with 0-3 substituents selected from the group consisting of halogen, lower alkyl, lower alkenyl, aryl, heteroaryl, carbonyl, thiocarbonyl, $-C(O)$ -alkyl, $-C(O)$ -aryl, $-C(O)$ -heteroaryl, $-C(O)H$, amino, $-CONH_2$, $-CONH$ -alkyl, $-CONH$ -aryl, $-CONH$ -heteroaryl, $-NHC(O)$ -alkyl, $-NHC(O)$ -aryl, $-NHC(O)$ -heteroaryl, amidino, cyano, nitro, azido, $-SO_2$ -alkyl, $-SO_2$ -aryl, sulfoxido, sulfate, sulfonate, sulfamoyl, sulfonamido, phosphoryl, phosphorothioate, phosphorothicite, phosphonate, phosphinate, $-(CH_2)_p$ alkyl, $-(CH_2)_p$ alkenyl, $-(CH_2)_p$ alkynyl, $-(CH_2)_p$ aryl, $-(CH_2)_p$ aralkyl, $-(CH_2)_pOH$, $-(CH_2)_pO$ -lower alkyl, $-(CH_2)_pO$ -lower alkenyl, $-O(CH_2)_nR$, $-(CH_2)_pSH$, $-(CH_2)_pS$ -lower alkyl, $-(CH_2)_pS$ -lower alkenyl, $-S(CH_2)_nR$, $-(CH_2)_pN(R)_2$, $-(CH_2)_pNR$ -lower alkyl, $-(CH_2)_pNR$ -lower alkenyl, $-NR(CH_2)_nR$, and protected forms of the above, wherein R represents, independently for each occurrence, hydrogen, or substituted or unsubstituted aryl, heterocycle, heteroaryl, alkylaryl, alkenyl, or alkyl, and wherein each occurrence of p independently represents an integer from 0-10.
252. (New) The compound of claim 94, wherein R_1 is hydrogen.
253. (New) The compound of claim 94, wherein R_B is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl optionally substituted with one or more halogen groups.
254. (New) The compound of claim 253, wherein the halogen is chlorine.
255. (New) The compound of claim 253, wherein R_B is phenyl.

- C²⁰
256. (New) The compound of claim 94, wherein R_A is an aryl, heteroaryl, alkylaryl, or alkylheteroaryl moiety optionally substituted with one or more hydroxyl moieties.
257. (New) The compound of claim 94, wherein R_A is a substituted or unsubstituted branched or unbranched, cyclic or acyclic aliphatic or heteroaliphatic moiety optionally substituted by one or more hydroxyl moieties.
258. (New) The compound of claim 94, wherein R_A is a branched or unbranched, cyclic or acyclic aliphatic or heteroaliphatic moiety.
259. (New) The compound of claim 258, wherein R_A is CH(CH₃)₂, Me, cyclopentyl or cyclohexyl.
-